

L Number	Hits	Search Text	DB	Time stamp
-	225	(key-cach\$3) or (key adj cach\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:30
-	126	(key-cach\$3) or (key adj cach\$3) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:32
-	10	(key-cach\$3) or (key adj cach\$3) and (wireless) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:33
-	9	((key-cach\$3) or (key adj cach\$3) and (wireless)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:33
-	7	((key-cach\$3) or (key adj cach\$3)) and (wireless) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:34
-	3	((key-cach\$3) or (key adj cach\$3)) and (wireless) and (source adj address) and memory and header and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:35
-	3	((key-cach\$3) or (key adj cach\$3)) and (wireless) and (source adj address) and memory and (header and encryp\$4)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:35
-	3	((key-cach\$3) or (key adj cach\$3)) and (wireless) and (source adj address) and memory and (header and encryp\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:49
-	7	((key-cach\$3) or (key with cach\$3)) and (wireless) and (source adj address) and memory and (header and encryp\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:47
-	0	((key-cach\$3) or (key with cach\$3)) and (wireless) and ((source adj address) with header) and memory and (header and encryp\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:40
-	14	((key-cach\$3) or (key with cach\$3)) and (source adj address) and memory and (header and encryp\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:47
-	0	((key-cach\$3) or ((key or signature or value) with cach\$3)) and ((packet or datagram or header) same (encrypt\$4 and ("not" adj encrypt\$4))) and (header and encryp\$4) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59
-	0	((key-cach\$3) or ((key or signature or value) with cach\$3)) and ((packet or datagram or header) same (encrypt\$4 and ("not" adj encrypt\$4))) and (header and encryp\$4) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59

-	0	((key-cach\$3) or ((key or signature or value) with cach\$3)) and ((packet or datagram or header) same (encrypt\$4 and ("not" adj encrypt\$4))) and (header and encryp\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 17:59
-	0	((packet or datagram or header) same (encrypt\$4 and ("not" adj encrypt\$4))) and (header and encryp\$4) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:01
-	0	((packet or datagram or header) same (encrypt\$4)) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:03
-	2927	((packet or datagram or header) same (encrypt\$4)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:01
-	0	((packet or datagram or header) same (encrypt\$4 and ("not" adj encrypt\$4))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:02
-	2927	((packet or datagram or header) same (encrypt\$4)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:02
-	0	((packet or datagram or header) same (encrypt\$4)) and ((source adj address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:03
-	95	((packet or datagram or header) same (encrypt\$4)) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:04
-	9255	((key-cach\$3) or ((key or signature or value) with cach\$3))((packet or datagram or header) same (encrypt\$4)) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:04
-	34	((key-cach\$3) or ((key or signature or value) with cach\$3)) and ((packet or datagram or header) same (encrypt\$4)) and ((address) with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:47
-	565	address with cache with (fast\$3 or quick\$3) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:48
-	284	(address with cache with (fast\$3 or quick\$3) and @ad<20000915) and (determin\$4 with address with cache) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:50
-	102	(address with cache with (fast\$3 or quick\$3) and @ad<20000915) and ((determin\$4 with address with cache) same (decryp\$4) (payload or packet or datagram)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 18:55

-	0	(address with cache with (fast\$3 or quick\$3) and @ad<20000915) and (((determin\$4 or verify\$4 or check\$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp\$4) with (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:09
-	0	(address with cache with (fast\$3 or quick\$3) and @ad<20000915) and (((determin\$4 or verify\$4 or check\$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp\$4 or decipher\$4 or decod\$4) with (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:09
-	0	(address with cache with (fast\$3 or quick\$3) and @ad<20000915) and (((determin\$4 or verify\$4 or check\$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp\$4 or decipher\$4 or decod\$4) same (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:10
-	1	(address with cache with (fast\$3 or quick\$3) and @ad<20000915) and (((determin\$4 or verify\$4 or check\$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp\$4 or decipher\$4 or decod\$4) and (payload or packet or datagram))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:10
-	187657	cach\$4 and mobile or wireless or (cell adj phone) or (cellular adj phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:43
-	12336	cach\$4 and (mobile or wireless or (cell adj phone) or (cellular adj phone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:43
-	1026	cach\$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:44
-	72	cach\$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:44
-	21	cach\$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:54
-	2	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address) with cach\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:58
-	14	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address) with (cach\$4 or memory)) and decrypt\$4 and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:59
-	102	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address) with (cach\$4 or memory)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:48

-	9	("5790548" "5894479" "5946615" "6058431" "6128298" "6128664" "6154839" "6188899" "6442616").PN.	USPAT	2004/01/09 17:11
-	0	ep1299807.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:48
-	0	ep1299807\$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:48
-	0	ep1299807\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 17:50
-	1	ep-1299807\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:38
-	0	200201367.URPN.	USPAT	2004/01/09 17:51
-	0	(source adj address) with "not" with memory with (drop\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:21
-	0	(source adj address) with "not" with (memory or cache) with (drop\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:21
-	0	(source adj address) with "not" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 19:07
-	0	(address) with "not" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	0	"not" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	709	(memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	80	address with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:22
-	55	address with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:37
-	40	address with "not" or "miss\$4" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:25

-	0	address with ("not" or "miss\$4") with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:25
-	2	5999629.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:37
-	0	ep-0876027\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	0	ep-0876027.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	0	ep-876027.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	2	ep-876027\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 18:39
-	0	((source adj address) or (access adj point) or station) with "not" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 19:08
-	0	((source adj address) or (access adj point) or station) with "not" with (memory or cache) same (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 19:08